

CATALOGUE

2020



HEKWERK
& PARTNERS



Dear Customer,

Hekwerk Partners Modern Front Fences are a combination of technical knowledge and the commitment of our employees. Such work is our source of contentment and satisfaction.

Hekwerk Partners means a team of people building an organization that is not afraid of change, as it brings continuous development for us. My colleagues are constantly developing and gaining the knowledge needed to improve products. They were the first to design, manufacture and market innovative LED fence lighting and the Centerbox module - essential elements in modern 21st century fencing.

The organisation under the Hekwerk Partners Fencing Systems brand is not only production. Today we are taking actions on the market to make our Partners part of our organization and make sure they understand our ideas and know our goals. Every day we are working to become better than the day before and demonstrate the sense of our vision.

Hekwerk Partners System catalogue 2020 is now in your hands. And so are your choices.
Choose the best offer for you.



Dennis van Maaren
CEO

Dennis van Maaren, CEO, Hekwerk Partners Systems

A handwritten signature in black ink, appearing to be 'D. van Maaren', written in a cursive style. The signature is located in the lower right area of the page, below the printed name.



TRANSPARENCY

the varied degree of transparency allows for the creation of a fence tailored to the user's expectations



CE

the product meets the requirements of the European Union (EU) directives



TECHNICAL SERVICE

warranty and post-warranty service of our products,



CHILD SAFETY

the fence is a protective barrier



MODULARITY

and adjustable height possibility to create your own fence from the offered modules of selected height and width



MOBILE ACCESS CONTROL

fence with the option of mounting integrated control modules, which can be managed from anywhere thanks to the Wi-Fi application



ANIMAL SAFE

models forming the limits of safe asylum for pets



RESISTANCE

to weather conditions the fence is resistant to UV radiation and moisture



LED LAMPS

LED luminaries in 5 sizes intended for installation in fence posts increase the sense of security and functionality




GUARANTEE

applied corrosion protection methods ensure fence protection, that's why our products are covered by a 10-year guarantee



AUTOMATION

fences with the possibility of equipping with drives and automation



DUPLEX

method of protection against corrosion by galvanizing and powder coating extending the durability of the coating up to 40 years

LEARN MORE ABOUT THE SYSTEM

VISUALIZATION OF SYSTEM ELEMENTS, COLOURS



TOP Gate wing

with running rail

LED lamp with warning function

when the gate opens, it changes colour from white to orange, powered directly from the gate drive

Guiding post

integrated with the drive and the automation of the sliding gate, it minimizes the number of fence elements and prevents the ingress of moisture

Photocell

it facilitates the use of the gate and increases the safety of users

Drive

mounted in the guiding post and is easily accessible to the service technician



Double-leaf gate

Application

mobile access control



Remote control



RAL COLOURS

Standard coating for front fences

9005
MAT

6005
MAT

7016
MAT

7024
MAT

7030
MAT

8017
MAT

9010
MAT

7016
STRUCTURE

MODERN
BROWN

ANTHRACITE
DB




LEARN MORE ABOUT THE SYSTEM

VISUALIZATION OF SYSTEM ELEMENTS, SPECIAL COLOURS, POST CAPS




SPECIAL RAL COLOURS

Additional RAL colours on special request



POST CAPS



MOBILE ACCESS CONTROL



One touch control

With the wBox applications and devices you can easily control elements in your home and garden.

They do not need any central unit for operation. A Wi-Fi network is enough. Once connected, they can be controlled from any location, without complicated configuration.

The wBox application and devices enable our customers to open gates with electric drive and control garden lamps using a mobile phone or tablet. All you need to do is attach the wLightBox and gateBox drivers to your home Wi-Fi network to open the gateway conveniently and quickly with a single touch, turn the light on and off, and set its intensity and duration. The lighting controller can work according to a set schedule or based on sunrises and sunsets. The configuration of these settings depends on your preferences and user needs.

MAIN PANEL

Driver selection



LED LIGHTING

Lighting intensity adjustment
Day/night sensor
Timing function
Remote lighting control
LED garden lamps
Garden lighting scenarios

GATES

Opening scenario
Gate closing scenario
Touch panel for gate control
Remote control of gate operation



INTERCOM SETS

Connection with your house

INTERCOMS

An intercom is an indispensable element of every home zone. And a complement to our fence. The Hekwerk & Partners offer includes three intercom sets - golden, silver and brown - differing in functionality. The first two are equipped with a video monitor, while in the brown set communication takes place via a handset. These devices have a wide range of individual configuration settings for each property with free software.



GOLDEN SET

one or two-button panel
with optional encryption version
video monitor with display white / black
power supply
5 proximity key rings
door opening module



SILVER SET

one or two-button panel
with optional encryption version
video monitor / hands-free
power supply
5 key rings
gate opening module



BROWN SET

one or two-button panel
with optional encryption version,
headphone receiver / headphone-free
transformer
5 key rings
gate opening module

CENTERBOX



Mobile means easier

CENTERBOX

Centerbox is an innovative fence management solution. This multifunctional module in the shape of a cuboid post, whose design is based on years of experience, perfectly defines the company's mission. We were the first to introduce this solution in response to our customers' needs. Centerbox is a management unit connected to the house - it is the most important element of the fence, whose presence on the property is essential.

The structure has been divided into three zones, each with a different function. The upper one has room for the intercom set, the middle one has been designed for letters, while in the lower one there is a control panel with power supply elements of the system, which are easily accessible for the service technician. The steel housing of the module increases the weather resistance of electronic assemblies.

Centerbox is characterized by a coherent and thoughtful design adapted to our fences, it is protected against corrosion and adds modernity and prestige to the property. A special place has been prepared on the steel surface of the module, which can be freely arranged, e.g. by placing the property number there. Thanks to the special design, the internal components will not be affected by the installation of accessories.



AUTOMATION AND WI-FI CONTROL




Freedom of use

Proper and reliable automation system is an important factor influencing the safety and comfort of using the gate, as well as an indispensable element of the front fence. We adapt the solutions we use to the specific property and expected level of functionality. The Top version gates have automation integrated in the guiding post, which is programmed by our specialists before reaching the customer. A post is an elegant and practical solution that minimizes the number of fencing elements. We also equip our double-leaf gates with automation, where we use top-class drives, remote controls and photocells. Our solutions are controlled using devices connected to the Wi-Fi network.



DRIVE



TOP SLIDING GATE

DOUBLE-LEAF GATE



ACTUATOR



PHOTOCELL

DUPLEX AND TECHNOLOGY



We care for your comfort and for the environment


DUPLEX SYSTEM

We use the Duplex system in our fences. It is an excellent method of anti-corrosion protection consisting in the application of a special paint coating on a hot-dip zinc coating. This system has been used by our company for 20 years. It provides a steel protection period for up to 40 years according to EN-ISO 12944-5. The paint coating protects zinc against oxidation, extends its life and allows you to achieve the intended colour effects from the RAL colour palette. Such fence also has high mechanical strength. According to the research of the Corrosion Protection Institute in Dresden, the Duplex system is 10 times more resistant compared to the average paint coating without hot galvanizing

Resistant to abrasion, 8 times more resistant to stone impacts and 20 times better edge protection.

PRODUCTION TECHNOLOGY

In the production of Modern Front Fences we also use an innovative permeation method, which consists in introducing a vertical profile into the horizontal profile. The opening in the horizontal profile is made with high accuracy by a CNC machine. Thanks to such precision, the profiles introduced stabilise themselves in the holes and it is not necessary to weld all connections. This is a method by which we minimise the amount of waste harmful to the environment. In the production process, we have also completely resigned from using harmful chemicals with toxic properties. Instead of varnish, we chose safe powder paint coating. The waste is collected and sent to producers for reuse. When degreasing, we use products without salts or acids. There are no semi-finished products that must be disposed of with special preparations.





DESIGN DESIGN DEPARTMENT

This is where it all begins

Hekwerk & Partners Systems has its own construction and design department, where prototypes and designs of all products are developed. It is a central and strategic place in an enterprise - this is where it all begins, and where ideas for new fence models are born.

The operational, young staff together with experienced specialists jointly develop the best solutions that result from the needs of customers and trends popular on the market. All with the use of innovative machines and technologies. Most fences are made to individual order, and each customer at the design stage chooses the model, appearance and functions.




ORDER COMPLETION CYCLE



20%
MEASUREMENT
INSTALLER



20%
DESIGN
Hewerk & Partners



20%
APPROVAL
CLIENT



20%
PRODUCTION-
Hekwerk & Partners



20%
INSTALLATION
INSTALLER



100%
SATISFACTION



ACCEPTANCE



HORIZONTAL

FENCES

Modern Front Fences will surely become a pride of every property. Wide range of product models, interesting and modern design, high quality and excellent protection against corrosion are the features that make this solution unique. The fences have been designed for customers who appreciate privacy and discretion, but also prefer simple, minimalist forms. A special advantage of Modern Front Fencing are also additional components such as Centerbox module and LED fencing lamps, which significantly increase the functionality of this solution.

MODERN

FRONT FENCES



NOF / **HORIZONTAL FENCES**

BERYL

PAGE 22-23

TRAVERTINE

PAGE 24-27


MALACHITE

PAGE 28-31

TURQUOISE

PAGE 32-33

SEGMENTS



BERYL STRAIGHT SEGMENT (TYPE P)




TRAVERTINE PLUS




TRAVERTINE 200/P-10



TRAVERTINE MX 200/P-25



MALACHITE 120/P-20




MALACHITE 100/P-20



MALACHITE 80/P-40




MALACHITE 60/P-40



TURQUOISE STRAIGHT SEGMENT (TYPE P)

SYSTEMS




BERYL



A model that combines lightness of design with a solid structure. The non-transparent segments with a minimalist appearance, made of sheet metal with a form of blinds, guarantee the privacy of the property and add to its character. Beryl is suitable for both traditional and modern housing design.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 2500 mm
Minimum standard width: 2000 mm



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm




CENTERBOX

Intercom
Letterbox



WICKET


Standard width: 1100 mm
Left and right-sided



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum width: 3000 mm
Left and right-sided

POST CAPS



D0 PLUG D1 BALL D2 ENVELOPE LED LAMP



TRAVERTINE




A model with an unconventional design offering a compromise between privacy and opening up to the surrounding space. Created for people who value elegance in a modern edition.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 2500 mm
Minimum standard width: 2000 mm



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



CENTERBOX

Intercom
Letterbox



WICKET


Standard width: 1100 mm
Left and right-sided



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum width: 3000 mm
Left and right-sided

POST CAPS




D0 PLUG D1 BALL D2 ENVELOPE LED LAMP



TRAVERTINE



TRAVERTINE PLUS



Model with crossbars
200 mm and 30 mm high

TRAVERTINE 200/P-10



Model with crossbars
200 mm high with 10 mm gaps

OUR OFFER includes the following elements

TRAVERTINE MX 200/P-25



Model with crossbars
of 200 and 40 mm height with 10 and 25 mm gaps




MALACHITE




A fence that, in a minimalist spirit, reflects the classic form of a segment with horizontal crossbars. The varied degree of transparency allows them to be used on properties of various types. Malachite can be complemented with extensive accessories such as fencing lamps or Centerbox module.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 2500 mm
 Minimum standard width: 2000 mm



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
 Minimum standard width: 3000 mm




CENTERBOX

Intercom
 Letterbox



WICKET


Standard width: 1100 mm
 Left and right-sided



TOP SLIDING GATE

Maximum available width: 6000 mm
 Minimum width: 3000 mm
 Left and right-sided

POST CAPS




D0 PLUG D1 BALL D2 ENVELOPE LED LAMP



MALACHITE




MALACHITE 60/P-40



Model with crossbars
of 60 mm height with 40 mm gaps

MALACHITE 80/P-40



Model with crossbars
of 80 mm height with 40 mm gaps

OUR OFFER includes the following elements


MALACHITE 100/P-20



Model with crossbars
of 100 mm height with 20 mm gaps



MALACHITE 120/P-20



Model with crossbars
of 120 mm height with 20 mm gaps




TURQUOISE




Turquoise is a model of a light, aesthetic form that guarantees high transparency. Dedicated to all customers who want to highlight the qualities of their property. It fits very well to modern architecture and is a great exposition for a beautiful, lamp-lit garden. It fits well with modern architecture and emphasises the beauty of a garden lit by lamps. The model is available in many dimensions and works well in individual projects.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm




CENTERBOX

Intercom
Letterbox



WICKET


Standard width: 1100 mm
Left and right-sided



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum width: 3000 mm
Left and right-sided

POST CAPS



D0 PLUG D1 BALL D2 ENVELOPE LED LAMP






VERTICAL

FENCES

Modern Front Fencing is a traditional solution in a modern design. The transparent, vertical arrangements are enriched with various decorative elements and several types of tips to choose from in the form of an arrow-head. Rich design options and colours, high quality and effective protection against corrosion are the features that allow the use of Modern Front Fences both on private properties and at companies or industrial plants. Thanks to the different spacing of the sections, it is possible to choose a model that gives a sense of privacy or exposes our house and garden, depending on your needs.

MODERN
FRONT FENCES





NOF / VERTICAL FENCES

AGATE

PAGE 40-41

AMETHYST

PAGE 42-43

ONYX

PAGE 44-45


EMERALD

PAGE 46-47


JASPER

PAGE 48-49


SEGMENTS




AGATE STRAIGHT SEGMENT (TYPE P)




AGATE CONVEX SEGMENT (TYPE W)




AMETHYST STRAIGHT SEGMENT (TYPE P)




AMETHYST CONVEX SEGMENT (TYPE W)




ONYX STRAIGHT SEGMENT (TYPE P)




ONYX CONVEX SEGMENT (TYPE W)



EMERALD STRAIGHT SEGMENT (TYPE P)



EMERALD CONVEX SEGMENT (TYPE W)



JASPER STRAIGHT SEGMENT (TYPE P)

SYSTEMS



OPAL

PAGE 50-51

AMBER

PAGE 52-53

RUBY 1

PAGE 54-55


RUBY 2

PAGE 56-57


SAPPHIRE

PAGE 58-59


SEGMENTS




OPAL STRAIGHT SEGMENT (TYPE P)




AMBER STRAIGHT SEGMENT (TYPE P)




JANTAR CONVEX SEGMENT (TYPE W)




RUBY 1 STRAIGHT SEGMENT (TYPE P)




RUBY 1 CONVEX SEGMENT (TYPE W)



RUBY 2 STRAIGHT SEGMENT (TYPE P)



SAPPHIRE STRAIGHT SEGMENT (TYPE P)



SAPPHIRE CONVEX SEGMENT (TYPE W)

SYSTEMS




AGATE




The classic form of Agate is suitable for any home zone. The minimalist design of the segments, available in a simple or convex form and a wide range of colours, with a tip in the upper part of the fence, is a timeless solution. Works well with both modern, as well as traditional housing design.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm



CONVEX SEGMENT (TYPE W)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




WICKET

Standard width: 1190 mm
Left and right-sided



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided

AVAILABLE TIPS



P0 P1 P2 P4 P5 P6




AMETHYST




Type of fences valued by customers both because of for its simple form and functionality. Due to the density of the sections at the bottom of the segment, it is an ideal model for lovers of smaller pets. One of the first designs in the NOF fence range.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm



CONVEX SEGMENT (TYPE W)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




WICKET

Standard width: 1080 mm
Left and right-sided



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided

AVAILABLE TIPS



P0 P1 P2 P4 P5 P6




ONYX




The simple design of the Onyx is created by density of profiles in pairs, which can be enhanced by a wide range of tips. The timeless appearance means that it can be successfully used around various types of buildings - private, public, as well as industrial facilities, but also at parks and recreation areas.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm



CONVEX SEGMENT (TYPE W)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




WICKET

Standard width: 1150 mm
Left and right-sided



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided


AVAILABLE TIPS



P0 P1 P2 P4 P5 P6




EMERALD




The transparent design of this model has been emphasized by its decorative element. Topped with the tip of the selected shape, it is a perfect complement for classic architectural forms.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm



CONVEX SEGMENT (TYPE W)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




WICKET

Standard width: 1190 mm
Left and right-sided



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided

AVAILABLE TIPS



P0 P1 P2 P4 P5 P6




JASPER



The classic form of Jasper form has a decorative element referring to a rose and a specially dedicated post. It gives the property a distinguished, mansion-like character and adds elegance to the home.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm



WICKET

Standard width: 1070 mm
Left and right-sided




POST

Standard available width: 300 mm



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided




OPAL



Opal combines vertical and horizontal profiles, and in the upper part it is finished with a beautiful decorative element. An ideal solution for single-family houses, housing estates and recreation areas, both in classic as well as modern form.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



WICKET

Standard width: 1080 mm
Left and right-sided




TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided




AMBER




The segment of this fence has a characteristic strip decorated with a cross pattern. Stylish design, the possibility of selecting the tips and versions make Amber perfectly suitable to be used around buildings of a classic architectural form.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm



CONVEX SEGMENT (TYPE W)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




WICKET

Standard width: 1190 mm
Left and right-sided



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided

AVAILABLE TIPS



P0 P1 P2 P4 P5 P6




RUBY 1




The simple, transparent form of this model catches the eye by a diamond-shaped decorative element. It will work well in the surroundings of buildings with classic form as well as more modern ones.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




CONVEX SEGMENT (TYPE W)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




WICKET

Standard width: 1080 mm
Left and right-sided



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided

AVAILABLE TIPS



P0 P1 P2 P4 P5 P6




RUBY 2



Fence with a segment decorated in the central part with a diamond additionally exposed by three horizontal profiles. The elegant form of the Ruby 2 model is ideal for both classic-style mansions as well as modern minimalist buildings.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



WICKET

Standard width: 1080 mm
Left and right-sided



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided




SAPPHIRE




A model of classic design with a segment decorated with two geometric shapes. It perfectly contributes to the look of the home space of both traditional buildings and modern properties.

OUR OFFER includes the following elements



STRAIGHT SEGMENT (TYPE P)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm



CONVEX SEGMENT (TYPE W)

Maximum available width: 3000 mm
Minimum standard width: 2000 mm




WICKET

Standard width: 1170 mm
Left and right-sided



DOUBLE-LEAF GATE

Maximum available width: 5500 mm
Minimum standard width: 3000 mm



TOP SLIDING GATE

Maximum available width: 6000 mm
Minimum standard width: 3000 mm
Left and right-sided

AVAILABLE TIPS



P0

P3





MODULAR

FENCES

Modular Front Fencing brings the standard offer more dynamics, giving room for creative expression and at the same time performs an important utility function, providing a non-transparent effect at the bottom of the fence. It is an original and unique solution, combining safety and modern design.

MODULAR

FRONT FENCES



MOF / **MODULAR FENCES**

MODULE 1F



MODULE 1G

MODULE 2F

MODULE 2G

AVAILABLE module connections







Hekwerk & Partners
HEADQUARTERS

Blekersweg 15
7312 GK Apeldoorn
+31 (0)85-1305711

info@hekwerk-partners.nl

The catalogue is for information purposes only and does not constitute an offer within the meaning of the Civil Code. Products presented in the catalogue may be non-standard or contain special elements. As a manufacturer, we reserve the right to introduce technological changes that improve the quality and functionality of our products without notifying the Buyer.